



**UNITED STATES DEPARTMENT OF COMMERCE**  
**Patent and Trademark Office**

Address: COMMISSIONER OF PATENTS AND TRADEMARKS  
Washington, D.C. 20231

*mf*

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.
09/107,486	06/30/98	SHIIMORI	0905-0206P

002292 LM31/0616  
BIRCH STEWART KOLASCH & BIRCH  
P O BOX 747  
FALLS CHURCH VA 22040-0747

EXAMINER  
POON, K

ART UNIT PAPER NUMBER  
2724

DATE MAILED: 06/16/00

*7*

**Please find below and/or attached an Office communication concerning this application or proceeding.**

**Commissioner of Patents and Trademarks**

# Office Action Summary

Application No.  
**09/107,486**

Applicant(s)  
**Yoshiko Shlimori et al.**

Examiner  
**King Y. Poon**

Group Art Unit  
**2724**



☒ Responsive to communication(s) filed on May 26, 2000

☒ This action is **FINAL**.

☐ Since this application is in condition for allowance except for formal matters, **prosecution as to the merits is closed** in accordance with the practice under *Ex parte Quayle*, 35 C.D. 11; 453 O.G. 213.

A shortened statutory period for response to this action is set to expire 3 month(s), or thirty days, whichever is longer, from the mailing date of this communication. Failure to respond within the period for response will cause the application to become abandoned. (35 U.S.C. § 133). Extensions of time may be obtained under the provisions of 37 CFR 1.136(a).

## Disposition of Claim

☒ Claim(s) 1-20, 22-36, 38-43, and 45-50 is/are pending in the application.

Of the above, claim(s) \_\_\_\_\_ is/are withdrawn from consideration.

☐ Claim(s) \_\_\_\_\_ is/are allowed.

☒ Claim(s) 1-20, 22-36, 38-43, and 45-50 is/are rejected.

☐ Claim(s) \_\_\_\_\_ is/are objected to.

☐ Claims \_\_\_\_\_ are subject to restriction or election requirement.

## Application Papers

☐ See the attached Notice of Draftsperson's Patent Drawing Review, PTO-948.

☐ The drawing(s) filed on \_\_\_\_\_ is/are objected to by the Examiner.

☐ The proposed drawing correction, filed on \_\_\_\_\_ is ☐ approved ☐ disapproved.

☐ The specification is objected to by the Examiner.

☐ The oath or declaration is objected to by the Examiner.

## Priority under 35 U.S.C. § 119

☒ Acknowledgement is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d).

☒ All ☐ Some\* ☐ None of the CERTIFIED copies of the priority documents have been received.

☐ received in Application No. (Series Code/Serial Number) \_\_\_\_\_.

☐ received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\*Certified copies not received: \_\_\_\_\_

☐ Acknowledgement is made of a claim for domestic priority under 35 U.S.C. § 119(e).

## Attachment(s)

☐ Notice of References Cited, PTO-892

☐ Information Disclosure Statement(s), PTO-1449, Paper No(s). \_\_\_\_\_

☐ Interview Summary, PTO-413

☐ Notice of Draftsperson's Patent Drawing Review, PTO-948

☐ Notice of Informal Patent Application, PTO-152

— SEE OFFICE ACTION ON THE FOLLOWING PAGES —

Art Unit: 2724

### DETAILED ACTION

1. The abstract of the disclosure is objected to because it is more than a paragraph and 250 words. Correction is required. See MPEP § 608.01(b).

#### *Claim Rejections - 35 USC § 102*

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless --

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

3. Claims 11, 25, 29, 33 are rejected under 35 U.S.C. 102(e) as being anticipated by Hunt et al.

Regarding claim 11: Hunt discloses an image communication system (see fig. 1A) in which an image server and a client computer having a display (see #330 of fig. Fig. 3) are communicating with each other. The image server stores image data (See column 4 line 66) representing an image. The client computer comprises: a transmission device (see # 324 of fig. 3) transmitting a command (see request of column 3 line 2) to the server requesting the server to transmit image data, and transmitting information about the image quality that the display is displaying (see column 1 line 64-67, column 2 line 14-24) such that excess data need

Art Unit: 2724

not be transmitted by the server. (Note: the image quality that the display displaying is information about the display) The image server comprises: a quantity reduction device (see column 2 line 64-65) to reduce image data according to the information received from the client, and an image transmission device to transmit the reduced image data. (See column 2 line 30-32)

Regarding claim 25, 29, 33: Hunt discloses an image communication system in which an image server and a client computer are communicating with each other. (See fig. 1A and abstract) The client transmits a request and information related to image data to the server requesting an image. (See column 3 line 2-3) The image server comprises: an image output device (image information transmission device) for outputting an image (#324 of fig. 3) on the basis of the information relating to the image data transmitted from the client, (see column 3 line 1-12) and other information regarding the image. (see # 410 of. Fig. 4A). The client has a modem (see # 324 of fig. 3) to retrieval image data sent from the server.

Note: Hunt teaches to use a computer readable recording medium to store a program.  
(See 314 of fig. 3)

### ***Claim Rejections - 35 USC § 103***

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Art Unit: 2724

5. Claims 1, 5, 9, 13, 16-18, 23, 24, 28, 32 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hunt et al.

Regarding claim 1: Hunt discloses an image communication system (see fig. 1A) in which an image server and a client computer having a display (see #330 of fig. Fig. 3) are communicating with each other, and the image server stores image data representing an image. (See column 4 line 66) The client computer comprises: a transmission device (see # 324 of fig. 3) commanding (see column 3 line 1-11) the server to transmit image data stored in the image server, and transmitting information about the image quality that the display is displaying (see column 1 line 64-67, column 2 line 14-24) such that excess data need not be transmitted by the server. (Note: the image quality that the display displaying is information about the display) The image server comprises: a data quantity reduction device (see column 2 line 64-65) to reduce image data according to the information received from the client, and an image transmission device to transmit the reduced image data to the client. (See column 2 line 30-32)

Hunt does not specify to use two transmission devices to transmit data from the client to the server, however, it would have been obvious to one of ordinary skill in the art to modify Hunt's client computer device by using two transmission devices to transmit data (image data and display information) because it is well known in the art that the more transmission devices used, the faster image data can be transmitted.

Regarding claim 5: Hunt discloses an image communication system (see fig. 1A) in which an image server and a client computer having a display (see #330 of fig. 3)

Art Unit: 2724

communicating with each other, and the image server stores image data. (See column 4 line 66)

The server comprises: a receiving device (106 of fig. 1) receiving a command from the client to transmit image data (see column 3 line 2, 106 of fig. 1) and to display, (330 fig. 3) in the client, information relating the display (thumbnail or low quality) that is transmitted from the client (see column 9 line 1-5); a quantity reduction device (see column 2 line 64-65, #114 of fig. 1B ) to reduce image data according to the information received from the client; and an image transmission device (106 of fig. 1) to transmit the reduced image data to the client. (See column 2 line 30-32)

Hunt does not specify to use, separately, a transmission devices for transmitting data and a receiving device for receiving, however, it would have been obvious to one of ordinary skill in the art to modify Hunt's server by using, separately, a transmission devices for transmitting and a receiving device for receiving because it is well known in the art that this would increase data transmission efficiency; the transmission controller would not have to process receiving task and vice versa.

Regarding claim 9: Hunt discloses an image communication system (see fig. 1A) in which an image server and a client computer having a display (see #330 of fig. 3) are capable of communicating with each other, and the image server stores image data. (See column 4 line 66)

The client computer comprises: a transmission device (see # 324 of fig. 3) transmitting a command (see column 3 line 1-5) requesting the server to transmit image data stored in the server, and to display, (330 fig. 3) in the client, information relating the display (thumbnail or

Art Unit: 2724

low quality); and a receiving device for receiving the image data reduced on the basis of the display information in the server. (Column 9 line 1-5)

Hunt does not specify to use, separately, a transmission devices for transmitting data and a receiving device for receiving, however, it would have been obvious to one of ordinary skill in the art to modify Hunt's client computer by using, separately, a transmission devices for transmitting and a receiving device for receiving because it is well known in the art that this would increase data transmission efficiency; the transmission controller would not have to process receiving task and vice versa.

Regarding claims 13, 17, 18: Hunt discloses an image communication system (see fig. 1A) in which an image server and a client computer (image data receiver) having a display (see #330 of fig. 3) are communicating with each other. The image server stores image data. (See column 4 line 66) The image server also comprises: an image data display transmission device (see the transmission medium between # 106 and # 304 of fig. 3) for transmitting image display data for displaying a plurality of sample image having different data size (characteristic) (see column 8 line 46-68, column 9 line 1-5) The client computer comprises a display to display the image data, (see # 330 of fig. 3) and a transmission device (see # 324 of fig. 3) for transmitting image characteristics to the server. (See supplied information and amount of data (data size) of abstract) Even though Hunt does not specify that the display device is an image characteristic setting device, it would have been obvious that the display device can function as an image characteristic setting device because the display device can display the image of

Art Unit: 2724

different data size sent from the server such that the image with different data size can be selected and displayed by a requester. (see column 9 line 1-5)

Regarding claim 16: Hunt teaches that the image data size can be stored in the server. (See fig. 6A) (at least one)

Regarding 23, 28, 32: Hunt teaches a client computer (104 fig. 1) used in an image communication system (fig. 1) in which an image server and the client computer communicate with each other, comprising: a compression rate setting device (310 of fig. 3) for setting the compression rate of image data; (see fig. 6, abstract, column 12 line 50-60, column 8 line 52) a calculation device (310 of fig. 3) for calculating information relating to the time required for transmission (abstract) in a case where the image data compressed at the set compression rate. (column 12 line 44-60, column 13 line 4-30) and a display for displaying (# 330 of fig. 3) information related to the calculated time for transmission. (See column 9 line 1-5, fig.6)

Hunt does not specify that the image server would be modified to become an image client. (To transmit compressed image data to the server)

Fig. 1B of Hunt show that the server computer and the client computer are the same except that the server has an image customization process unit to reduce the image data. Hunt further teaches that the image transmitted needs to be customized and reduces transmission time. (See abstract) Therefore, at the time of invention, it would have been obvious to one of ordinary skill in the art to use two units of # 102 in the image communication system of Hunt. (One for the client and one for the server) The suggestion of doing can be reasoned by one of ordinary



Art Unit: 2724

skill in the art because this so would have allowed the client to transmit a reduced image data image (compressed) to the server (customized) and increase system reliability; a client would perform the function as a server in case of a server failure.

Note: A transmission time is calculated by dividing the actual data transmitted by the transmission speed

Note: Hunt teaches to use a computer readable recording medium to store a program.  
(See 314 of fig. 3)

Regarding claim 24: Hunt teaches that the client computer has a display control device (310 of fig. 3) for controlling the display to display an image represented by the image data compressed at the set compression rate. (See column 9 line 1-5)

6. Claims 2, 6, 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hunt et al. in view of Takaoka et al.

Regarding claims 2, 6: Hunt has disclosed all of the claim limitations except that the display information is related to the maximum number of colors, and that the quantity reduction device includes color reduction means for reducing a number of colors of an image.

However, Hunt teaches that the reduction of image data is for reducing transmission time. (See abstract) As a result, excess data need not be transmitted when the requester does not need or desire it. (See column 6 line 22-24) Takaoka teaches that the (quality of an image) level of color (number of color) are image data (to be displayed or print). (See column 19 line 1-8) The more image colors there are, the more image data needed to represent the colors. Hunt and

Art Unit: 2724

Takaoka are combinable because they are from the same area of transferring images through a network.

At the time of invention, it would have been obvious to one of ordinary skill in the art to modify Hunt's image communication system by including the maximum number of colors that a display can display in the display information, and adding a color reduction means, in the data quantity reduction device, for reducing a number of colors of an image to be displayed. The suggestion of doing so would have reduced data transmission time which is desirable as discussed in Hunt's reference abstract. Therefore, it would have been obvious to combine Hunt and Takaoka to obtain the invention as obtain the invention as specified in claims 2, 6.

Regarding claim 14: Hunt has disclosed all of the claim limitations except that images include different color tonalities.

Takaoka teaches that the images include different color tonalities. (See column 19 line 1-8) Hunt and Takaoka are combinable because they are from the same area of transferring images through a network.

At the time of invention, it would have been obvious to include color tonalities in the image data of Hunt, as taught by Takaoka. The suggestion of doing so would have allowed the image to be displayed with different colors and is desirable. This can be reasoned by one of ordinary skill in the art because the more colors there are, the better image a person can perceive. Therefore, it would have been obvious to combine Hunt and Takaoka to obtain the invention as obtain the invention as specified in claim 14.

Art Unit: 2724

7. Claims 3, 7, 19, 20, 22, 27, 31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hunt et al. In view of Tsutamori et al.

Regarding claims 3, 7: Hunt has disclosed all of the claim limitations except that the display information is related to the resolution of the display, and that the quantity reduction device includes thinning means for reducing an image data on the basis of the information relating to resolution.

However, Hunt teaches that the reduction of image data is for reducing transmission time. (See abstract) As a result, excess data need not be transmitted when the requester does not need or desire it. (See column 6 line 22-24) Takaoka teaches that the resolutions of an image (quality of an image) are image data (to be displayed or print) and image data would be reduced by thinning base on resolution. (See column 19 line 1-8) Hunt and Tsutamori are combinable because they are from the same area of transferring images through a network.

At the time of invention, it would have been obvious to one of ordinary skill in the art to modify Hunt's image communication system by including resolution information in the display information, and adding a thinning means, in the data quantity reduction device, for reducing image data based on resolution of the display, as taught by Tsutamori. The suggestion of doing so would have reduced data transmission time which is desirable as discussed in Hunt's reference abstract. Therefore, it would have been obvious to combine Hunt and Tsutamori to obtain the invention as obtain the invention as specified in claims 3, 7.

Art Unit: 2724

Regarding claims 19, 27, 31: Hunt discloses an image communication system (see fig. 1A) in which an image server and a client computer having a display (see #330 of fig. 3) are communicating with each other; the image server stores image data. (See column 4 line 66) The image server further comprises: a quantity reduction device (see column 2 line 64-65) to reduce image data according to the information received from the client, and an image transmission device (output device) to transmit the reduced image data. (See column 2 line 30-32)

Hunt does not teach: the image data quantity reduction device is located in the client, the reduced image is transmitted from the client to the server, a print image area designation means for designating an image area to be printed of an image represented by image data of one frame, and partial image data extraction means for extracting partial image area data representing the designated image area from the image data of one frame.

Tsutamori teaches: an image data quantity reduction device located in the client, (101 of fig. 1A) the reduced image is transmitted from the client to a server, (200 of fig. 1A) a print image area designation means (101 of fig. 1A) for designating an image area to be printed of an image represented by image data of one frame, (see frame of abstract and column 3 line 45-68) and partial image data extraction means (101 of fig. 1A) for extracting partial image area data representing the designated image area from the image data of one frame. (See thinning of abstract) Hunt and Tsutamori are combinable because they are from the same area of transferring images through a network.

Art Unit: 2724

At the time of invention, it would have been obvious to one of ordinary skill in the art to modify the client computer of Hunt by adding an image data quantity reduction device, and transmitting the reduced image from the client to the server, as taught by Tsutamori. The suggestion of doing so can be reasoned by one of ordinary skill in the art because this would have allowed the client to perform some of the work of the server of Hunt and thereby, free up the server for serving more clients.

Moreover, it would have been obvious to one of ordinary skill in the art to modify the client computer of Hunt by adding a print image area designation means for designating an image area to be printed of an image represented by image data of one frame, and partial image data extraction means for extracting partial image area data representing the designated image area from the image data of one frame. The suggestion of doing so can be reasoned by one of ordinary skill in the art because this would have allowed the client computer to perform a thinning operation to prevent excess data to be transmitted, and thereby, saving precious network bandwidth. Therefore, it would have been obvious to combine Hunt and Tsutamori to obtain the invention as specified in claims 19, 27, 31.

Note: Hunt teaches to use a computer readable recording medium to store a program. (See 314 of fig. 3)

Regarding claim 20: Hunt and Tsutamori teaching a thinning device (see discussion of claim 19) Tsutamori further teaches to use the client workstation (means) to perform resolution

Art Unit: 2724

conversion on image data to be transmitted to an output device. The resolution of the image data is less than or equal to the output image data. (See abstract of Tsutamori)

At the time of invention, it would have been obvious to one of ordinary skill in the art to modify Hunt's image data quantity reduction device by adding a resolution conversion means for converting image data to be transmitted into image data having a resolution which is less than or equal to the resolution of the image output from the output device, as taught by Tsutamori. The suggestion of using the resolution conversion mean in Hunt's client computer can be reasoned by one of ordinary skill in the art because it would have allowed a user to customize (reduce) image data according to a resolution that he prefers.

Regarding claim 22: Hunt teaches to use a compression rate determine means (114 of 1B) for determining the compression rate of the image data to be transmitted to the image server on the basis of the speed of transmission of the image data between the image server and the client, (see fractal compression or progressive JPEG column 8 line 45-67, abstract, fig. 6, column 12 line 44-60)

8. Claims 4, 8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hunt et al. In view of Uda et al.

Regarding claims 4, 8: Hunt has disclosed all of the claim limitations except a printer for the server to print.

Art Unit: 2724

Uda teaches to provide a printer for a server to print image data for a host. (See fig. 1) Hunt and Uda are combinable because they are from the same area of using a server to store image data.

At the time of invention, it would have been obvious to one of ordinary skill in the art to provide a printer for the server for printing images. The suggestion of doing so would have allowed remote users to utilize a distant printer which is effective as discussed in column 1 line 58-60 of Uda. Therefore, it would have been obvious to combine Hunt and Uda to obtain the invention as specified in claim 4, 8.

Note: Since the image is used for display also, the RGB signal that the server produced for displaying needs to be converted to CMYK for the printer to print after the modification.

9. Claims 10, 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Uda et al. In view of Hunt et al.

Regarding claims 10, 12: Uda discloses an image server (see # 107 of fig.1), used in an image communication system in which the server having a printer (104s of fig. 1) and the client computer having a display, (see # 106 of fig. 1) are communicating with each other, comprising: an image reading device, (see # 103a of fig. 1) a first color conversion device (see 601 of fig. 6) for performing first color conversion processing on the read image in accordance with a characteristic of the printer, a print controller (402 of fig. 4) for controlling the printer so as to print an image from the first color converted image data, and an image data transmission device (see 202 of fig. 2) for transmitting the converted image data to the client computer.

Art Unit: 2724

Uda does not specifically teach a display in the client and a second color conversion device for performing second conversion processing on the read image data in accordance with a characteristic of the display device.

Hunt teaches to use a display in a client computer for display data transmitted from a server. (See fig. 1 and fig. 3 and column 9 line 1-5) Uda and Hunt are combinable because they are from the same area of transmitting data between clients and server.

At the time of invention, it would have been obvious to one of ordinary skill in the art to modify Uda's client computer by using a display in the client to display information from the server as taught by Hunt. The suggestion of doing so can be reasoned by one of ordinary skill in the art because a display would have allowed a user to view images, and thereby, providing an efficient way of communicating information to a user.

Note: it is well known in the art that image data of a printer could convert into display data and vice versa.

10. Claims 15 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hunt et al. as applied to claim 13 above, and further in view of Kurahashi et al.

Regarding claim 15: Hunt teaches that the image server has an image data transmission device (108 of fig. 1A) for transmitting data to the image data receiver.

Hunt does not teach to transmit, if the image data receiver can change the characteristics of the image displayed, image data whose characteristics have not been adjusted.



Art Unit: 2724

Kurahashi teaches to transmit, if the image data receiver can change the characteristics of the image displayed, image data whose characteristics have not been adjusted from a server to an image data receiver. (See column 8 line 1-12) Hunt and Kurahashi are combinable because they are from the same area of editing images.

At the time of invention, it would have been obvious to one of ordinary skill in the art to modify Hunt's image server by having the image data transmission device to transmit, if the image data receiver can change the characteristics of the image displayed, image data whose characteristics have not been adjusted from a server to an image data receiver, as taught by Kurahashi. The suggestion of doing so can be reasoned by one of ordinary skill in the art because by allowing the client (image data receiver) to edit images, work load of the server would have been decreased and thereby, free up the server to serve more clients. Therefore, it would have been obvious to combine Hunt and Kurahashi to obtain the invention as specified in claim 15.

Note: It would have been obvious that the image is to be edited in the server if the client cannot perform the editing function, given that the image is to be edited by either the client or the server.

11. Claims 26, 30, 34 are rejected under 35 U.S.C. 103(a) as being unpatentable over Uda et al. In view of Kurahashi et al.

Regarding claim 26, 30: Uda discloses a client computer (# 101 of fig. 1) used in an image communication system (see fig. 1) in which the server having a printer, (see # 104c of

Art Unit: 2724

fig. 1) and communicates with the client; the client receives image data from the server. Uda does not teach to receive a printing template and to synthesizing the part of the printing template with a part of an image from the client.

Kurahashi teaches to synthesis a received printing template (see # 4 of fig. 1) with another image. (see #3 and 1 of fig. 1) Uda and Kurahashi are combinable because they are from the same area of creating images.

At the time of invention, it would have been obvious to modify the client of Uda by providing a receiving device for receiving a template from the server and a synthesis device for synthesizing with an image stored in the client. The suggestion of doing can be reasoned by one of ordinary skill in the art because this would have allowed the client to save memory for not saving template images in the client's memory and is desirable. A client computer usually is having less memory compare to a server and therefore, it is more desirable to save the template in the server. Therefore, it would have been obvious to combine Uda and Kurahashi to obtain the invention as specified in claim 26, 30.

Regarding claim 34: Uda teaches to use a ROM (see #204 of fig. 2) to store a program for the method of claim 30. Please see claim 30.

12. Claims 35, 36, 38-43, 45-48, 50 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kurahashi et al.

Regarding claims 35, 41: Kurahashi et al. teach an image editing system (see title, fig. 5) in which an image server (see # 52 of fig. 5) communicates with client computers (see # 53

Art Unit: 2724

and 55 of fig. 5) and the client computer edits images and sends the editing information (execution data indicating that an image is edited or reedited, if the information is that the image is to be edited by the server, the information is an indication that the image is to be edited in the server and not in the client ) to the server. (Column 6 line 45-56) The server also sends editing image information to a client computer (see column 8 line 1-10) The server further includes: a processing mean (see column 7 line 1-5) (judgment device and allowance data transmission mean) for judging whether the editing is allowed to be edited in the client computer or the server base on transmitted execution information and send editing information to the client computer that editing is allowed. The client computer comprises a control device (see # 32 of fig. 2) for performing editing (reediting) in response to the receiving of allowance data.

Kurahashi does not specify that the image editing device (computer) is a reediting device and the transmission mean to transmit the image data is reediting information transmission.

However, Kurahashi teaches to send editing information back and forth and to have the image to be edited in any one of the computers, and the computer can edit the image data more than one time. (See column 9 line 5-20) Therefore, it would have been obvious that the computer used in the client or the server to reedit the image data (edit more than one time) is a reediting device, and the transmission device used to transmit the reediting information is a reediting transmission device.

Regarding claim 36, 43: As discussed in the discussion of claim 35, Kurahashi teaches to send editing (reediting) information about the editing image. It would have been obvious that the

Art Unit: 2724

editing information is directed to the portion that the image is to be edited because the portion that is not to be edited would not need editing information.

Regarding claim 42: This is a method claim claiming the methods that the apparatus performs in claim 41. Please see claim 41.

Regarding claim 38, 45: Kurahashi teaches that a plurality of computers can be form by a group of two computers (see fig. 5) and because the computers are on a network, the network would have other groups of computers such as the group of computers shown in fig. 13.

Regarding claim 39, 46: Kurahashi teaches that the client computer comprises a keyboard (see fig. 5) (comment entry device) for entering editing information which can include comments like enlarge. (See enlarge comment of fig. 1) Those comment would be included in the editing information and sent to other computer/server in case that the other computer/server is chosen to perform image editing.

Regarding claim 40, 47: Kurahashi teaches that the edited image (6 of fig. 1) is constituted by a plurality of object images. (See fig. 1) The editing functions include deletion, (see column 10 line 55), addition, (see composite of fig. 1) and alteration. (See enlarge of fig. 1)

Regarding claim 48: Kurahashi teaches to use a computer (see client computer and server of fig. 5) which has a program to control the editing system in claim 35. Please see claim 35.

Art Unit: 2724

Regarding claim 50: Kurahashi teaches that the image server includes an editing information transmission device (41 of fig.4) for transmitting editing information relating to the edited image which has been transmitted from one client computer. (See discussion on claim 35) The client includes an image reediting device for reediting the edited image, (see fig.1 and fig. 7) and a reediting information transmission device for transmitting reediting information relating to the reedited image to the server. (See column 9 line 25-50)

13 Claim 49 are rejected under 35 U.S.C. 103(a) as being unpatentable over Uda et al. in view of Hunt et al. as applied to claim 10, and further in view of Hirono et al.

Regarding claim 49: Uda discloses all of the claim limitations except a display direction conversion processing device for displaying the image data in normal position.

Hirono teaches that inputting an image position into an image memory and to display the image in normal position. (See column 7 line 54-67 and column 8 line 1-7) Uda, Hunt and Hirono are combinable because they are from the same area of displaying an image.

At the time of invention, it would have been obvious to one of ordinary skill in the art to modify the image server of Uda by adding a display direction conversion processing device to display the image in normal position. The suggestion of doing so would have allowed a user to scan in an image at any position and read out the image at a normal position as discussed in column 8 line 6-7 of Hirono which is desirable. Therefore, it would have been obvious to combine Uda, Hunt and Hirono to obtain the invention as specified in claim 49.

Note: the display direction converted data in the server is image data.

Art Unit: 2724

14

## REMARKS

With respect to applicant's argument on page 33 that "Conversely, in Hunt et al., image control data is transmitted to a server 102 from a client 104. A stored image is customized in accordance with the, received image control data at the server 102. However, and unlike claim 11, the image in Hunt et al. is not customized in accordance with the display device." has been considered. In reply: Column 2 line 20-25 of Hunt clearly state that the amount of data transmitted (server) is customized such that excess data need not be transmitted when the requester does not need it. Fig 3 of Hunt show that a requester would request display images to be display in the display 330. In other words, the data quantity is customized according to how a requester prefers to display the image. (In accordance with the display information)

With respect to applicant's argument on page 33 that "As to claims 25 and 29, Applicants submit that Hunt et al. fail to teach or suggest the claimed image information transmission device of the image server, and/or a retrieval means of the client computer as claimed in claims 25 and 29. In the present application, since the image data first transmitted to the image server can be retrieved in the client computer, image synthesis processing, editing processing, etc. can be performed again using the image data. Regarding Hunt et al., after initial transmission, the image data transmitted to the server 102 from the client 104 cannot be transmitted to the client 104 again (i.e., retransmitted). Thus, image data which has been transmitted once the server cannot be retrieved from the client. Accordingly, Applicants submit that claims 25 and 29 are allowable at

Art Unit: 2724

least for the reasons set forth above.” has been considered. In reply: the examiner does not find the limitation that “the image data which has been transmitted once to the server to be retrieved by the client” in claims 25 and 29. Hunt shows a modem (324 of fig. 3) for retrieving image data sent from the server.

With respect to applicant’s argument on page 34 (claim 13) that Hunt et al. fail to teach or suggest an image display data transmission device of the image server, image characteristics setting device, and/or the image characteristics data transmission device claimed in claim 13.” because “Conversely, in Hunt et al., control data is transmitted to the server 102 from client 104. The data for displaying a plurality of sample images is not transmitted. Additionally, the size of the image is changed based on the image control data. Accordingly, any of the image control data, as described in Hunt, cannot be like, and is clearly different from the image characteristics of the present application.” has been considered. In reply: Column 9, line 1-5 of Hunt clearly show that the image server sends display data of a high quality feature size or a low quantity, full screen size image, or a thumbnail image for a user to view. A user would choose what he needs. (Column 6 line 20-25 of Hunt) (Displaying a plurality of sample image having different data size)

Applicant’s arguments with respect to claims 19, 27, 31, 23, 28, 10, 12 on page 35, 36 have been considered but are moot in view of the new ground(s) of rejection. Please see office action.

With respect to applicant’s argument on page 38 (claims 26, 30, 34) that “print processing in Uda et al. is done in accordance with a command from a host computer 101. Uda et al. say

Art Unit: 2724

nothing about the receiving and synthesizing of a part of the printing template image data. Even if Kurahashi et al. arguably could be combined with Uda et al., Kurahashi et al. fail to cure the above deficiencies. In Kurahashi et al., in order to edit an image in which "WWW" 2 is inserted in the circular of image 1, the circular of image 1 and "WWW" 2 are combined to form image 3. This process requires an inordinately long time to combine all of the images, which is unlike the present application, wherein, since a part of a composite image is generated, expedites the process. Accordingly, in view of the above, withdrawal of the rejection as pertaining to these claims is respectfully requested." has been considered. In reply: Uda discloses a client computer (# 101 of fig. 1) used in an image communication system (see fig. 1) in which the server having a printer (see # 104c of fig. 1) and can communicate with the client and the client can receive image data from the server.

Uda does not teach to receive a printing template and to synthesizing the part of the printing template with a part of an image from the client.

Kurahashi teaches to synthesis a printing template (see # 4 of fig. 1) with another image (see #3 and 1 of fig. 1) Uda and Kurahashi are combinable because they are from the same area of image.

At the time of invention, it would have been obvious to modify the client of Uda by providing a receiving device for receiving a template from the server and a synthesis device for synthesizing with an image stored in the client. The suggestion of doing can be reasoned by one of ordinary skill in the art because this would have allowed the client to save memory for not



Art Unit: 2724

saving template images in the client's memory and is desirable. A client computer usually is having less memory compare to a server and therefore, it is more desirable to save the template in the server.

With respect applicant's argument on pages 39, 40 (claims 26, 30, 34) that " Applicants submit that the Examiner must revisit Kurahashi et al., which does not appear to teach these features as related to the allowance, editing or reediting of an image, and as related to receipt and control of an image editing device to execute such edition." has been considered. In reply:

Kurahashi does not specify that the image editing device (computer) is a reediting device and the transmission mean to transmit the image data is reediting information transmission.

However, Kurahashi teaches to send editing information back and forth and to have the image to be edited in any one of the computers, and the computer can edit the image data more than one time. (See column 9 line 5-20) Therefore, it would have been obvious that the computer used in the client or the server to reedit the image data (edit more than one time) is a reediting device, and the transmission device used to transmit the reediting information is a reediting transmission device.

#### Action is Final, Necessitated by Amendment

15. Applicant's amendment necessitated the new ground of rejection presented in this office action. Therefore, THIS ACTION IS MADE FINAL. See MPEP 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Art Unit: 2724

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTHS shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

***Conclusion***

16. Any inquiry concerning this communication or earlier communications from the examiner should be directed to King Y. Poon whose telephone number is (703) 305-0892 or to Supervisor Mr. David Moore whose phone number is (703) 308-7452.

June 14, 2000



DAVID K. MOORE  
SUPERVISOR OF PATENT EXAMINER  
GROUP 1